


Engr. Ghulam Mohammed Alomgir
Chairman
Max Group

MAX BTL MAX SPORSHO MAX BTL **MAX SPORSHO JOLSHIRI ABASHON** JOLSHIRI ABASHON



integrated underground utility facilities (Electric line, Water supply network, Sewerage network, Fire Fighting system & ICT)

The city will have recreational facilities where you will be able to enjoy the water ride at lakes, parks, lake-side walkway & cycle track and also there will be anInternational standard Golf Course, Amusement park and 5 star hotel.

### JOLSHIRI: FEATURES AND AMINITIES



HOSPITAL





SCHOOL



COLLEGE



CORPORATE OFFICE



**SHOPPING MALL** 



COMMERCIAL DISTRICT





CONVENTION CENTER



**BUS STOPS** 



LOW RISE APPARTMENT

GOLF COURSE

**FIRE FIGHTING** 

UTILITY

KID'S PLAYGROUND



HIGH RISE APPARTMENT

**CENTRAL PARK** 

**ICT NETWORK** 

UTILITY

CYCLING

TRACK



LAKE FRONT

**MOSQUES** 

**WALKWAY** 



**STADIUM** 



LUCRATIVE BRIDGES





FILLING STATION

**WASTE MANAGEMENT** UTILITY



**GRAVEYARD** 

Jolshiri will be developed as smart city where there will be provision of





COMMUNITY ROOM



MINI POOL




ROOF GARDEN



BARBEQUE ZONE

MAX BTL






This is the only smart city in Bangladesh where only 52% land area is utilized for construction and rest 48% will be open space .




MAX SPORSHO JOLSHIRI ABASHON MAX BTL MAX SPORSHO JOLSHIRI ABASHON MAX BTL



BASEMENT PLAN




























BEDROOMS 4

TOILETS 5

BALCONIES 6

FORMAL LIVING

FAMILY LIVING

DINING SPACE

WET & DRY KITCHEN

MAID'S AREA



MINI POOL



**BBQ ZONE** 



ROOF GARDEN



**ELEVATED GREEN** 



FISH POOL




SUN DECK





ROOF PLAN



















MAX SPORSHO JOLSHIRI ABASHON MAX BTL MAX SPORSHO JOLSHIRI ABASHON MAX BTL

### **COMMON FEATURES AND AMENITIES**

**Building Entrance**Main Gate

Main gate will be as per the elevation and perspective of the building.

Made with mild steel in combination with aluminum wood or As per

Architecture design.

**Building Illumination** Attractive Building Illumination with spotlight & accent lights to brighten

the building at night.

Project Name/Logos As per architectural design

**Rental Notice Board** At front exterior as designed by the Architect

Building Reception Reception Desk As per architectural design made with wood/concrete in combination

with marble & wooden finishes.

Floor Finish Polished Imported Natural Marble.

**Light Fixture** Imported China origin

**Reception Lobby** Polished Imported Natural Marble.

**Rooftop** Protection Protected in combination with concrete parapet wall and mild-

steel railings.

**Roof Treatment** Lime Terracing for Damp and Heat Proofing

**Lighting Arrestor** As per architectural design

Water Tank As per architectural design

Car Park and Driveway Parking Total 13 nos. of car parking spaces in Basement & Ground floor

**Driveway Finish** With 12"x12" paver tiles as per design.



Underground Reservoir Casting To be provided with RCC casting and smooth finish Water Reservoir

Capacity Capable of holding water supply as per requirement / BNBC

code

Firefighting Fire Exits As per BNBC code and Protection

**Fire Protection** As per BNBC code

### MAJOR STRUCTURAL MATERIALS

Steel / MS Bar Grade T5/60 Grade Deformed Bar

Brand Anwar steel /KSRM/ GPS/BSRM or equivalent

Cement Manufacturer Crown/ Mir cement/Premier cement or equivalent.

AggregatesFoundationRCC, Stone Chips to be used for all Foundations

**Columns** RCC, Stone Chips to be used for all Columns

**Beams and Slabs**RCC, Stone Chips to be used for all Beams and Slabs

**Lintels and Ceilings** RCC, Brick Chips to be used for all Lintels and Ceilings

Brick Type of Brick 1st Class Bangla Brick/Machine Made Brick/ AAC Block.

Sand Type of Sand Sylhet/Shariatpur Sand, 2.5 FM course sand, (Sylhet) for

concrete



**MAX SPORSHO JOLSHIRI ABASHON MAX SPORSHO JOLSHIRI ABASHON** MAX BTL

## **SERVICE EQUIPMENT**

**Lift Specifications** 01 nos. From Ground to 8th Floor **Number of Lifts** 

> Type International Standard Lift

Brand General (Sino-American joint venture), Sigma or equivalent.

Capacity 8 (Eight) persons

**Drive System** AC-VVVF (Variable Voltage and Variable Frequency)

Service One Year Free Service / Maintenance and Warranty

Interior Interior of the Lifts will be done based on Architectural Designs

Lift Lobbies and Staircases

Marble in ground floor & Exclusive Tiles in upper floor. **Lobby Lift Wall** 

**Lobby Floor** Marble in ground floor & Exclusive Tiles in upper floor.

**Staircase Finish** Tiles in staircases (RAK /MIR/CBC or equivalent)

Railings MS railing with MS/WPC/Wooded Handrail

**Generator Coverage** 

50 KVA one standby generator in case of power failure for operating Lift, Water pump, Light, fan, TV in each Apartment and common &

community space

Generator **Specifications** 

Canopied Quiet diesel Generator. System

Engine Ricardo Brand (UK-Sino joint venture co.) or equivalent

**Sound Proofing** Soundproof Canopy System

**Starting System** Auto-Start System



**Substation with Transformer** 

Equipment

Transformer, Distribution Board, LT / HT Panel, PFI

Panels and Circuit Breakers

Standard Quality **Electrical Substation** 

As per Requirement Capacity

Reverie power or equivalent Brand

All cables to be of Fire Retardant type (BBS / BRB / Energypac) Cable

Done by PDB / DESCO / DESA / DPDC Certified contractors **Electrical Works** 

Internet, Cable TV, **Telephone Services** 

Each Apartment Connectivity

Master Bed and Living Room through optical fiber backbone **Internet Provision** 

Cable TV Master Bed. 2nd Bed, Living and Family Living Room

Provision Master Bed and Family Living Telephone

Water Pumps

Number of Pumps

Central pressure booster pumps with stand-by pump.

**Country of Origin** Italian

Brand Pedrollo or equivalent


As per Requirement Capacity

Fire **Protection**  Extinguisher

01 nos Dry-Powder and 01 nos CO2 in each Floor. Extra

02 nos in sub-station room

Stand-alone Natural Gas + Heat Detector in each kitchen. Detectors



MAX BTL **MAX SPORSHO JOLSHIRI ABASHON** MAX SPORSHO **JOLSHIRI ABASHON** MAX BTL

### **APARTMENT FEATURES AND AMENITIES**

Main Door, Shutter and Frame

Segun/ Chittagong Teak **Door Frame** 

**Door Shutter** Chittagong Teak solid as per Architectural design.

**Apartment Number Plate** 

As per Architectural design.

Polish

Clear Lacquer Polish

Handle Lock

IRANZO SPAIN, Yale or equivelant

Others

All necessary fittings incl. Check Viewer, Knocker etc

**Bedroom Doors** 

**Door Frame** Segun/ Chittagong Teak

Veneered Flash Door **Door Shutter** 

Polish

Clear Lacquer Polish

**Round Mortise Lock** 

IRANZO SPAIN, Yale or equivelant

**Other Fittings** 

Other Necessary Fittings

**Bathroom Doors** 

**Door Frame** Segun/ Chittagong Teak

**Door Shutter** Veneered Flash Door

Polish

Enamel matt finish


**Round Mortise Lock** 

IRANZO SPAIN, Yale or equivelant

Other Fittings


Other Necessary Fittings





MAX BTL **MAX SPORSHO JOLSHIRI ABASHON** MAX SPORSHO **JOLSHIRI ABASHON** MAX BTL





### **Common Bathrooms Features**

Tiles

Wall Tiles

12" X 20" RAK or equivalent Tiles

Floor Tiles

Commode

12" X 20" RAK or equivalent Tiles

Provision for hot and cold-water lines

Fixtures and Fittings Master Toilet

Hot and cold water

RAK or equivalent

China

Basin RAK or equivalent

**Basin mixture** 

**Shower Mixture** China

**Push Shower** China

**Hand Shower** China

**Basin West, Angle Stop** Cock, Conceal Bib Cock, **Moving Shower, Glass** Self, Mirror, Soap Case, Towel Rail, Paper Holder, **Grating Box Net** 

Top grade Local / China

**Fixtures and Fittings** 2nd, 3rd & Common Toilet

Hot and cold water

Commode

RAK or equivalent

Basin RAK or equivalent

**Basin West, Angle Stop** Cock, Conceal Bib Cock, Moving Shower, Glass Self, Mirror, Soap Case, Towel Rail, Paper Holder, **Grating Box Net** 

Top grade Local / China

Provision for hot and cold-water lines



MAX SPORSHO JOLSHIRI ABASHON MAX BTL MAX SPORSHO JOLSHIRI ABASHON MAX BTL

# Servant's Toilet

Pan Low down and other fittings will be provided maids toilet

**Kitchen Features** Wall Tiles 12" X 20" RAK or equivalent Tiles (Up to 7 feet Hight)

Floor Tiles 12" X 12" RAK or equivalent Tiles.

Worktop R.C.C self for oven and sink with Marble top

**Double Burner** Provision for Double Burner Stove

Washing Corner At Kitchen Verandah, only if design allows

Stainless-steel Sink Imported

Sink Mixer Local best/Imported with hot & cold water lines

**Exhaust Fan** Square Shape (National Delux)

Cabinet

**Kitchen** 30 sft (appx). As per architectural design.



### **Design consultancy and Interior visualisation by**



Max Space Studio is a boutique architectural consultancy firm dedicated to creating luxurious interiors and homes that exceed expectations. With a commitment to innovation, elegance, and functionality, we specialize in crafting bespoke spaces that reflect the unique personality and lifestyle of each client.

At Max Space Studio, our mission is to transform visions into reality by delivering exceptional architectural design solutions that enhance living experiences and inspire admiration. We strive to uphold the highest standards of creativity, craftsmanship, and client satisfaction in every project we undertake.

MAX SPORSHO JOLSHIRI ABASHON MAX BTL MAX SPORSHO JOLSHIRI ABASHON MAX BTL

### **UTILITY AND SERVICES**

UTILITY AND SERVICES

**Utility Permissions Gas** 

Gas Pipeline Connection from TITAS Distribution System as per Total Calculated Consumption. If the extension of the gas connection is prohibited by Government in that case LPG cylider connection is supplied by the reputed company.

**DESA / DESCO / DPDC** source with separate Main cable and LT Panel/Distribution Board.

Water Supply Connection from WASA/Jolshiri Abashan sufficient as per Total

Calculated consumption. A Common WASA meter for the entire complex.

Sewerage System planned for the long-term requirement

**Expandetures**Connection costs for landowners' apartments will be borne by the Developer.

APARTMENT FEATURES AND AMENITIES Access Control

**Water Supply** 

Integrated Access Control with Video Intercom in all apartments using RFID cards

Solar Power As per DESA / DESCO / DPDC Requirements

Termite Protection At Ground Level

**Air-Conditioner** Provision.

**CCTV** CCTV coverage in the building front, entrance gate, GF lift lobby and roof top.

**Internet wiring** Support for the Entire Building.

**Driver/Guard's Toilet**On Ground Floor

**Caretaker room** Furnished Caretaker's room with toilet and cooking area at G.F.

**Drivers Waiting Area**At Basement Floor (As per Architectural Design)

**Landscaping** As per Architectural Design.

### **ADDITIONAL TERMS**

- Ground floor height to be as much as allowed by Dhaka Cantonment Board rule.
- Water drainage provisions to be done in all balcony & terrace areas.
- Manicured Gardens and Landscaping at Ground Level.
- Central Garbage Disposal Facilities.
- Roof of the building to finished as such with heat-protective paint or other means to reduce the heat transmission through the roof. Additionally, the roof to be landscaped & mini swimming pool (Depend on Authority approval) by the DEVELOPER including making provision of keeping pot-plants etc.
- 01 (one) year defect maintenance service will be provided by the Second Party owing to construction defects from the date of the handover of the Schedule 'B'-Building.
- DEVELOPER will provide all required assistance and co-operation in obtaining mutation of the apartments of the Landowner's portion.
- DEVELOPER shall obtain maximum possible warranty for all important fixtures & equipment installed in the building and shall pass all those warranties to the Building Owners upon handover





# ADDRESS OF YOUR DREAM AWAITS . . . .

WHAT ARE YOU WAITING FOR?



+8801966-662606 , +8801313-485988



info@maxbtl.com



#### **Office Address:**

House #200 ( Ground Floor ) , Road #08 New DOHS Mohakhali Dhaka-1206

